

Appendix I - Tree Data

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
1	<i>Syncarpia glomulifera</i>	10	6	Good	Good	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
2	<i>Acmena smithii</i>	5	5	Good	Good	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
3	<i>Syncarpia glomulifera</i>	9	8	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
4	<i>Angophora costata</i>	12	9	Fair	Good	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
5	<i>Allocasuarina littoralis</i>	7	5	Poor	Poor	Mature	Medium	Short	Low	250	-	-	250	300	3.0	2.0	Nil	0%	Tree is in decline.	Retain
6	<i>Angophora floribunda</i>	9	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
7	<i>Allocasuarina littoralis</i>	5	5	Poor	Poor	Mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Tree is growing on a lean. Tree is in decline.	Retain
8	<i>Eucalyptus pilularis</i>	14	8	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
9	<i>Eucalyptus sideroxylon</i>	8	4	Poor	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Trunk wounds.	Retain
10	<i>Eucalyptus pilularis</i>	18	14	Good	Good	Mature	High	Medium	High	600	-	-	600	650	7.2	2.8	Nil	0%	-	Retain
11	<i>Angophora costata</i>	10	7	Good	Good	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
12	<i>Eucalyptus pilularis</i>	14	7	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	-	Retain
13	<i>Angophora costata</i>	9	4	Good	Fair	Juvenile	Low	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
14	<i>Eucalyptus pilularis</i>	14	7	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	-	Retain
15	<i>Eucalyptus sideroxylon</i>	12	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
16	<i>Syncarpia glomulifera</i>	9	6	Good	Good	Semi-mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
17	<i>Eucalyptus siderophloia</i>	9	8	Fair	Poor	Mature	Medium	Short	Low	300	-	-	300	350	3.6	2.1	Nil	0%	Canopy dieback. Tree is growing on a lean.	Retain
18	<i>Angophora costata</i>	12	9	Fair	Good	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	-	Retain
19	<i>Angophora costata</i>	10	8	Good	Good	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
20	<i>Syncarpia glomulifera</i>	9	5	Good	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
21	<i>Angophora costata</i>	8	8	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
22	<i>Eucalyptus pilularis</i>	10	3	Fair	Poor	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
23	<i>Eucalyptus sideroxylon</i>	12	9	Good	Poor	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	Bend in main stem approx 6m from the ground.	Retain
24	<i>Eucalyptus resinifera</i>	7	9	Fair	Fair	Mature	Medium	Medium	Medium	300	150	-	340	390	4.1	2.2	Nil	0%	-	Retain
25	<i>Eucalyptus pilularis</i>	12	9	Good	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
26	<i>Eucalyptus sideroxylon</i>	16	9	Fair	Good	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Major	33%	-	Retain
27	<i>Angophora costata</i>	10	4	Fair	Poor	Semi-mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Nil	0%	Poor growth form. Trunk wounds.	Retain
28	<i>Angophora costata</i>	7	6	Good	Poor	Semi-mature	Medium	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Unsuitable location.	Retain
29	<i>Angophora floribunda</i>	9	8	Fair	Good	Semi-mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Major	12%	-	Retain
30	<i>Eucalyptus pilularis</i>	8	6	Good	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
31	<i>Melia azedarach</i>	10	12	Fair	Good	Mature	High	Medium	High	550	-	-	550	600	6.6	2.7	Major	18%	-	Retain
32	<i>Eucalyptus pilularis</i>	8	6	Good	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
33	<i>Eucalyptus sideroxylon</i>	9	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
34	<i>Eucalyptus pilularis</i>	10	7	Good	Good	Semi-mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
35	<i>Eucalyptus sideroxylon</i>	14	10	Fair	Poor	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Major	31%	-	Retain
36	<i>Angophora costata</i>	7	6	Good	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
37	<i>Eucalyptus sideroxylon</i>	14	7	Fair	Good	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	14%	Trunk wounds.	Retain
38	<i>Angophora floribunda</i>	7	4	Fair	Fair	Semi-mature	Low	Medium	Medium	150	-	-	150	200	2.0	1.7	Nil	0%	-	Retain
39	<i>Angophora costata</i>	12	8	Fair	Fair	Semi-mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
40	<i>Syncarpia glomulifera</i>	12	7	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	Multiple included bark junctions.	Retain
41	<i>Syncarpia glomulifera</i>	8	6	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
42	<i>Eucalyptus resinifera</i>	12	9	Fair	Poor	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	Previous failure.	Retain
43	<i>Angophora floribunda</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
44	<i>Syncarpia glomulifera</i>	12	9	Fair	Fair	Mature	Medium	Medium	Medium	450	450	350	730	780	8.8	3.0	Major	38%	Multiple included bark junctions.	Retain
45	<i>Pittosporum undulatum</i>	4	5	Poor	Fair	Semi-mature	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Tree is in decline.	Retain

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
46	<i>Syncarpia glomulifera</i>	10	7	Good	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
47	<i>Eucalyptus pilularis</i>	16	12	Good	Good	Mature	High	Medium	High	550	-	-	550	600	6.6	2.7	Nil	0%	-	Retain
48	<i>Angophora costata</i>	14	9	Fair	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Nil	0%	-	Retain
49	<i>Angophora floribunda</i>	5	4	Poor	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Tree is in decline.	Retain
50	<i>Eucalyptus resinifera</i>	10	8	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
51	<i>Syncarpia glomulifera</i>	12	9	Good	Fair	Mature	Medium	Medium	Medium	400	300	-	500	550	6.0	2.6	Minor	6%	Multiple included bark junctions.	Retain
52	<i>Syncarpia glomulifera</i>	10	8	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	Wysteria through canopy.	Retain
53	<i>Angophora costata</i>	12	7	Poor	Fair	Mature	Medium	Short	Low	300	-	-	300	350	3.6	2.1	Nil	0%	Canopy dieback.	Retain
54	<i>Eucalyptus resinifera</i>	22	18	Poor	Fair	Mature	Medium	Short	Low	950	-	-	950	1000	11.4	3.3	Nil	0%	Deadwood (>20cm). Severe canopy dieback.	Retain
55	<i>Liquidambar styraciflua</i>	10	9	Fair	Fair	Semi-mature	Low	Medium	Medium	250	200	200	380	430	4.6	2.3	Nil	0%	Regrowth from previously removed tree	Retain
56	<i>Angophora costata</i>	14	12	Good	Good	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Nil	0%	-	Retain
57	<i>Syncarpia glomulifera</i>	12	5	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
58	<i>Eucalyptus resinifera</i>	12	10	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	-	Retain
59	<i>Angophora floribunda</i>	12	6	Fair	Fair	Semi-mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Codominant stem.	Retain
60	<i>Syncarpia glomulifera</i>	10	5	Good	Good	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
61	<i>Syncarpia glomulifera</i>	12	7	Good	Good	Mature	High	Medium	High	650	-	-	650	700	7.8	2.8	Major	25%	-	Retain
62	<i>Syncarpia glomulifera</i>	12	6	Good	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Minor	1%	-	Retain
63	<i>Eucalyptus pilularis</i>	24	18	Fair	Fair	Mature	High	Medium	High	950	-	-	950	1000	11.4	3.3	Minor	9%	Multiple previous failures.	Retain
64	<i>Syncarpia glomulifera</i>	16	8	Fair	Fair	Mature	Medium	Medium	Medium	400	250	200	510	560	6.1	2.6	Nil	0%	Triple stem from the ground.	Retain
65	<i>Syncarpia glomulifera</i>	16	8	Fair	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Minor	4%	-	Retain
66	<i>Eucalyptus pilularis</i>	26	22	Fair	Fair	Mature	High	Long	High	1300	-	-	1300	1350	15.0	3.8	Minor	6%	Previous failure.	Retain
67	<i>Syncarpia glomulifera</i>	12	7	Fair	Poor	Mature	Medium	Medium	Medium	400	150	-	430	480	5.2	2.4	Major	14%	Phototropism.	Retain
68	<i>Syncarpia glomulifera</i>	8	8	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
69	<i>Syncarpia glomulifera</i>	12	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
70	<i>Angophora costata</i>	14	10	Fair	Fair	Over-mature	High	Medium	High	600	-	-	600	650	7.2	2.8	Nil	0%	-	Retain
71	<i>Dead tree</i>	8	2	Poor	Poor	Dead	Low	Dead	Low	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
72	<i>Syncarpia glomulifera</i>	8	5	Poor	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Tree is in decline.	Retain
73	<i>Syncarpia glomulifera</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
74	<i>Syncarpia glomulifera</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	250	200	-	320	370	3.8	2.2	Nil	0%	-	Retain
75	<i>Syncarpia glomulifera</i>	10	8	Fair	Poor	Mature	Medium	Medium	Medium	300	300	-	420	470	5.0	2.4	Nil	0%	Phototropism.	Retain
76	<i>Syncarpia glomulifera</i>	5	5	Poor	Poor	Mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Tree is in severe decline.	Retain
77	<i>Eucalyptus pilularis</i>	20	14	Fair	Fair	Mature	High	Medium	High	650	500	-	820	870	9.8	3.1	Major	18%	-	Retain
78	<i>Dead tree</i>	6	6	Poor	Poor	Dead	Low	Dead	Low	150	-	-	150	200	2.0	1.7	Nil	0%	-	Retain
79	<i>Corymbia gummifera</i>	12	9	Poor	Poor	Mature	Medium	Short	Low	350	300	-	460	510	5.5	2.5	Nil	0%	-	Retain
80	<i>Angophora costata</i>	8	4	Fair	Poor	Semi-mature	Medium	Short	Low	250	-	-	250	300	3.0	2.0	Major	37%	Phototropism.	Retain
81	<i>Angophora costata</i>	12	7	Poor	Poor	Mature	Medium	Short	Low	300	-	-	300	350	3.6	2.1	Nil	0%	Leaning over pedestrian walkway. Tree is growing on a lean. Tree is in decline. Unsuitable location.	Retain
82	<i>Syncarpia glomulifera</i>	10	9	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	Included bark junction.	Retain
83	<i>Eucalyptus sideroxylon</i>	6	3	Good	Good	Juvenile	Medium	Medium	Medium	100	-	-	100	150	2.0	1.5	Nil	0%	-	Retain
84	<i>Syncarpia glomulifera</i>	5	3	Fair	Poor	Semi-mature	Medium	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Unsuitable location.	Retain
85	<i>Syncarpia glomulifera</i>	8	8	Fair	Fair	Mature	Medium	Medium	Medium	300	200	-	360	410	4.3	2.3	Nil	0%	-	Retain
86	<i>Syncarpia glomulifera</i>	6	10	Fair	Poor	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
87	<i>Syncarpia glomulifera</i>	12	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
88	<i>Syncarpia glomulifera</i>	14	10	Fair	Poor	Mature	Medium	Medium	Medium	400	100	-	410	460	4.9	2.4	Nil	0%	Suppressed canopy.	Retain
89	<i>Syncarpia glomulifera</i>	8	8	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	Codominant stems.	Retain
90	<i>Eucalyptus pilularis</i>	20	16	Fair	Fair	Mature	High	Medium	High	750	-	-	750	800	9.0	3.0	Major	16%	-	Retain
91	<i>Syncarpia glomulifera</i>	6	4	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
92	<i>Syncarpia glomulifera</i>	12	6	Fair	Fair	Mature	Medium	Medium	Medium	300	200	-	360	410	4.3	2.3	Nil	0%	-	Retain

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
93	<i>Angophora costata</i>	8	5	Poor	Poor	Semi-mature	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Tree is in decline.	Retain
94	<i>Syncarpia glomulifera</i>	6	4	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
95	<i>Syncarpia glomulifera</i>	6	4	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
96	<i>Syncarpia glomulifera</i>	14	8	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
97	<i>Syncarpia glomulifera</i>	6	4	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
98	<i>Eucalyptus pilularis</i>	14	9	Good	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Nil	0%	-	Retain
99	<i>Eucalyptus pilularis</i>	20	12	Fair	Fair	Mature	High	Medium	High	550	-	-	550	600	6.6	2.7	Minor	2%	-	Retain
100	<i>Syncarpia glomulifera</i>	7	6	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
101	<i>Syncarpia glomulifera</i>	12	7	Fair	Poor	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	-	Retain
102	<i>Syncarpia glomulifera</i>	6	6	Fair	Poor	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Minor	7%	-	Retain
103	<i>Eucalyptus pilularis</i>	14	12	Fair	Poor	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Major	19%	-	Retain
104	<i>Syncarpia glomulifera</i>	9	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Minor	9%	-	Retain
105	<i>Syncarpia glomulifera</i>	8	6	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Suppressed canopy.	Retain
106	<i>Eucalyptus pilularis</i>	18	12	Fair	Good	Mature	High	Medium	High	650	-	-	650	700	7.8	2.8	Minor	6%	-	Retain
107	<i>Syncarpia glomulifera</i>	7	6	Fair	Poor	Semi-mature	Medium	Medium	Medium	150	-	-	150	200	2.0	1.7	Nil	0%	-	Retain
108	<i>Syncarpia glomulifera</i>	10	7	Good	Fair	Semi-mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
109	<i>Syncarpia glomulifera</i>	10	6	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
110	<i>Syncarpia glomulifera</i>	9	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
111	<i>Syncarpia glomulifera</i>	9	8	Fair	Good	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
112	<i>Eucalyptus pilularis</i>	16	12	Good	Good	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Minor	1%	-	Retain
113	<i>Syncarpia glomulifera</i>	8	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
114	<i>Syncarpia glomulifera</i>	7	6	Good	Good	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
115	<i>Syncarpia glomulifera</i>	7	5	Fair	Good	Semi-mature	Medium	Medium	Medium	150	-	-	150	200	2.0	1.7	Nil	0%	-	Retain
116	<i>Angophora costata</i>	9	8	Fair	Poor	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Phototropism.	Retain
117	<i>Eucalyptus pilularis</i>	14	12	Fair	Fair	Mature	High	Medium	High	600	-	-	600	650	7.2	2.8	Major	16%	-	Retain
118	<i>Eucalyptus paniculata</i>	10	9	Fair	Good	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
119	<i>Eucalyptus pilularis</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
120	<i>Angophora costata</i>	20	14	Fair	Good	Mature	High	Long	High	900	-	-	900	950	10.8	3.2	Minor	7%	-	Retain
121	<i>Eucalyptus siderophloia</i>	8	5	Fair	Fair	Semi-mature	Low	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
122	<i>Dead tree</i>	9	1	Poor	Poor	Dead	Low	Dead	Low	850	-	-	850	900	10.2	3.2	Major	24%	-	Retain
123	<i>Syncarpia glomulifera</i>	6	6	Good	Poor	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Suppressed canopy.	Retain
124	<i>Syncarpia glomulifera</i>	10	6	Good	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
125	<i>Syncarpia glomulifera</i>	9	7	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
126	<i>Melaleuca styphelioides</i>	7	4	Poor	Fair	Mature	Medium	Short	Low	250	100	-	270	320	3.2	2.1	Nil	0%	-	Retain
127	<i>Eucalyptus sideroxylon</i>	12	7	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
128	<i>Dead tree</i>	8	1	Poor	Poor	Dead	Low	Dead	Low	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
129	<i>Eucalyptus pilularis</i>	12	9	Fair	Fair	Mature	Medium	Medium	Medium	400	250	-	470	520	5.6	2.5	Nil	0%	Codominant stems.	Retain
130	<i>Syncarpia glomulifera</i>	7	7	Good	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
131	<i>Eucalyptus sideroxylon</i>	14	14	Fair	Poor	Mature	Medium	Short	Low	450	-	-	450	500	5.4	2.5	Minor	2%	Failed included bark junction. Previous failure.	Retain
132	<i>Angophora costata</i>	9	9	Fair	Poor	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Suppressed canopy.	Retain
133	<i>Eucalyptus pilularis</i>	14	10	Fair	Fair	Mature	High	Medium	High	550	200	-	590	640	7.1	2.7	Major	14%	Phototropism.	Retain
134	<i>Eucalyptus pilularis</i>	8	9	Fair	Poor	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Tree is growing on a lean.	Retain
135	<i>Eucalyptus sideroxylon</i>	10	7	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
136	<i>Eucalyptus pilularis</i>	12	8	Fair	Poor	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Tree is growing on a lean.	Retain
137	<i>Eucalyptus sideroxylon</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Minor	2%	-	Retain
138	<i>Eucalyptus pilularis</i>	12	16	Fair	Poor	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Minor	1%	Phototropism.	Retain
139	<i>Eucalyptus pilularis</i>	16	14	Fair	Fair	Mature	High	Medium	High	600	-	-	600	650	7.2	2.8	Nil	0%	-	Retain

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
140	<i>Eucalyptus sideroxylon</i>	14	12	Fair	Good	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Minor	9%	-	Retain
141	<i>Angophora costata</i>	10	2	Poor	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	75% of the tree is dead.	Retain
142	<i>Syncarpia glomulifera</i>	8	5	Fair	Poor	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Minor	3%	Trunk wounds.	Retain
143	<i>Syncarpia glomulifera</i>	8	7	Fair	Poor	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Minor	6%	-	Retain
144	<i>Syncarpia glomulifera</i>	12	7	Fair	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Minor	8%	-	Retain
145	<i>Angophora costata</i>	8	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
146	<i>Eucalyptus camaldulensis</i>	14	16	Fair	Fair	Mature	High	Medium	High	550	-	-	550	600	6.6	2.7	Minor	1%	-	Retain
147	<i>Eucalyptus pilularis</i>	14	8	Fair	Fair	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Nil	0%	-	Retain
148	<i>Eucalyptus paniculata</i>	7	6	Fair	Fair	Semi-mature	Low	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
149	<i>Syncarpia glomulifera</i>	6	5	Poor	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Tree is in decline. Unsuitable location.	Retain
150	<i>Syncarpia glomulifera</i>	16	12	Fair	Good	Mature	High	Medium	High	700	-	-	700	750	8.4	2.9	Nil	0%	-	Retain
151	<i>Syncarpia glomulifera</i>	10	4	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	12%	-	Retain
152	<i>Angophora costata</i>	14	12	Poor	Poor	Mature	Medium	Short	Low	350	-	-	350	400	4.2	2.3	Nil	0%	Suppressed canopy. Tree is in decline.	Retain
153	<i>Syncarpia glomulifera</i>	9	4	Poor	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
154	<i>Eucalyptus sideroxylon</i>	7	6	Fair	Poor	Mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Suppressed canopy.	Retain
155	<i>Syncarpia glomulifera</i>	14	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
156	<i>Syncarpia glomulifera</i>	10	5	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Minor	1%	Included bark junction.	Retain
157	<i>Eucalyptus pilularis</i>	18	14	Fair	Good	Mature	High	Medium	High	700	-	-	700	750	8.4	2.9	Nil	0%	-	Retain
158	<i>Syncarpia glomulifera</i>	4	4	Fair	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Suppressed canopy. Unsuitable location.	Retain
159	<i>Angophora costata</i>	14	14	Poor	Poor	Mature	Low	Short	Low	600	600	-	850	900	10.2	3.2	Minor	9%	Main stem snapped approximately 3m and is hung up in trees below. Multiple previous failures. Trunk decay.	Retain
160	<i>Angophora costata</i>	14	8	Fair	Poor	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Minor	4%	Lower branches pruned, leaving only the head.	Retain
161	<i>Syncarpia glomulifera</i>	14	7	Fair	Fair	Mature	Medium	Medium	Medium	400	300	-	500	550	6.0	2.6	Nil	0%	Codominant stems.	Retain
162	<i>Eucalyptus camaldulensis</i>	14	12	Fair	Fair	Mature	High	Medium	High	650	-	-	650	700	7.8	2.8	Minor	6%	-	Retain
163	<i>Eucalyptus sideroxylon</i>	10	7	Fair	Poor	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
164	<i>Eucalyptus siderophloia</i>	10	7	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Phototropism.	Retain
165	<i>Eucalyptus sideroxylon</i>	14	8	Fair	Poor	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Canopy damage from neighbouring tree branch failure. Previous failure.	Retain
166	<i>Syncarpia glomulifera</i>	9	7	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
167	<i>Syncarpia glomulifera</i>	8	4	Fair	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Crown damaged from neighbouring tree branch failure. Suppressed canopy.	Retain
168	<i>Eucalyptus siderophloia</i>	12	7	Fair	Poor	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
169	<i>Corymbia citriodora</i>	14	9	Good	Fair	Mature	High	Medium	High	550	-	-	550	600	6.6	2.7	Minor	4%	-	Retain
170	<i>Eucalyptus pilularis</i>	12	6	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
171	<i>Eucalyptus siderophloia</i>	7	3	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
172	<i>Eucalyptus scoparia</i>	12	12	Poor	Fair	Mature	Medium	Short	Low	550	-	-	550	600	6.6	2.7	Major	19%	Tree is in decline.	Retain
173	<i>Eucalyptus sideroxylon</i>	12	8	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
174	<i>Eucalyptus sideroxylon</i>	14	7	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
175	<i>Eucalyptus camaldulensis</i>	14	9	Fair	Poor	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Nil	0%	Phototropism.	Retain
176	<i>Eucalyptus siderophloia</i>	9	6	Fair	Fair	Mature	Medium	Medium	Medium	250	100	-	270	320	3.2	2.1	Nil	0%	-	Retain
177	<i>Eucalyptus siderophloia</i>	12	12	Fair	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Major	12%	-	Retain
178	<i>Eucalyptus sideroxylon</i>	16	12	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	12%	Codominant stems.	Retain
179	<i>Angophora costata</i>	10	4	Fair	Fair	Semi-mature	Medium	Medium	Medium	150	-	-	150	200	2.0	1.7	Nil	0%	-	Retain
180	<i>Syncarpia glomulifera</i>	6	5	Poor	Poor	Semi-mature	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Suppressed canopy.	Retain
181	<i>Angophora costata</i>	10	7	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Trunk wounds.	Retain
182	<i>Syncarpia glomulifera</i>	9	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	300	150	-	340	390	4.1	2.2	Nil	0%	Included bark junction.	Retain
183	<i>Syncarpia glomulifera</i>	10	4	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
184	<i>Allocasuarina littoralis</i>	14	12	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	-	Retain
185	<i>Syncarpia glomulifera</i>	10	9	Good	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Minor	2%	Included bark junction.	Retain
186	<i>Angophora costata</i>	8	4	Poor	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Epicormic regrowth. Tree is in decline.	Retain

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
187	<i>Eucalyptus paniculata</i>	16	7	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Major	14%	Included bark junction.	Retain
188	<i>Eucalyptus sideroxylon</i>	14	8	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	-	Retain
189	<i>Angophora costata</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
190	<i>Syncarpia glomulifera</i>	9	3	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
191	<i>Angophora costata</i>	14	10	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	Codominant stems.	Retain
192	<i>Melaleuca styphelioides</i>	9	3	Poor	Poor	Mature	Low	Short	Low	250	150	100	310	360	3.7	2.2	Nil	0%	Tree is in severe decline.	Retain
193	Dead tree	7	3	Poor	Poor	Dead	Low	Dead	Low	200	200	-	280	330	3.4	2.1	Nil	0%	-	Retain
194	<i>Syncarpia glomulifera</i>	6	4	Fair	Fair	Juvenile	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
195	<i>Eucalyptus sp.</i>	9	8	Poor	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Tree is in decline.	Retain
196	Dead tree	7	3	Poor	Poor	Dead	Low	Dead	Low	150	-	-	150	200	2.0	1.7	Nil	0%	-	Retain
197	<i>Angophora costata</i>	9	9	Fair	Poor	Semi-mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Nil	0%	Tree is growing on a severe lean.	Retain
198	<i>Angophora costata</i>	14	10	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	Trunk wounds.	Retain
199	<i>Syncarpia glomulifera</i>	7	4	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
200	<i>Tristaniaopsis laurina</i>	7	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	150	100	100	210	260	2.5	1.9	Nil	0%	-	Retain
201	<i>Angophora costata</i>	8	8	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
202	<i>Eucalyptus sideroxylon</i>	16	7	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	Included bark junction.	Retain
203	<i>Corymbia maculata</i>	14	7	Fair	Fair	Mature	Medium	Short	Low	400	-	-	400	450	4.8	2.4	Nil	0%	Large fruiting body on main stem. Severe trunk decay.	Retain
204	<i>Syncarpia glomulifera</i>	8	7	Good	Good	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
205	<i>Syncarpia glomulifera</i>	12	8	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
206	<i>Angophora costata</i>	16	10	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	-	Retain
207	<i>Eucalyptus sideroxylon</i>	4	2	Fair	Poor	Semi-mature	Low	Short	Low	100	-	-	100	150	2.0	1.5	Nil	0%	Tree previously cut down to approx 80cm stump. Epicormic regrowth to approx 4m.	Retain
208	<i>Stenocarpus sinuatus</i>	10	4	Fair	Fair	Mature	Medium	Medium	Medium	200	150	-	250	300	3.0	2.0	Nil	0%	-	Retain
209	<i>Syncarpia glomulifera</i>	14	8	Fair	Poor	Mature	High	Medium	High	600	-	-	600	650	7.2	2.8	Nil	0%	Multiple included bark junctions.	Retain
210	<i>Syncarpia glomulifera</i>	7	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
211	<i>Stenocarpus sinuatus</i>	9	5	Fair	Fair	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
212	<i>Melaleuca styphelioides</i>	9	7	Poor	Poor	Mature	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Tree is growing on a lean. Tree is in severe decline.	Retain
213	<i>Syncarpia glomulifera</i>	12	9	Fair	Poor	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	Included bark junction.	Retain
214	<i>Eucalyptus sideroxylon</i>	14	8	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Included bark junction.	Retain
215	<i>Eucalyptus sp.</i>	6	5	Poor	Poor	Juvenile	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	50% of the tree is dead. Tree is growing on a lean.	Retain
216	<i>Syncarpia glomulifera</i>	7	7	Good	Fair	Semi-mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
217	<i>Allocasuarina littoralis</i>	9	3	Fair	Poor	Mature	Low	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
218	<i>Eucalyptus paniculata</i>	12	7	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
219	<i>Melaleuca styphelioides</i>	9	7	Poor	Poor	Mature	Low	Short	Low	350	-	-	350	400	4.2	2.3	Nil	0%	Tree is in severe decline.	Retain
220	<i>Eucalyptus paniculata</i>	10	3	Fair	Fair	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Unsuitable location.	Retain
221	<i>Eucalyptus paniculata</i>	5	5	Poor	Poor	Juvenile	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Suppressed canopy. Unsuitable location.	Retain
222	<i>Brachychiton acerifolius</i>	8	5	Fair	Fair	Semi-mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
223	<i>Syncarpia glomulifera</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Nil	0%	Included bark junction.	Retain
224	<i>Eucalyptus pilularis</i>	12	16	Fair	Fair	Mature	High	Medium	High	500	-	-	500	550	6.0	2.6	Nil	0%	-	Retain